

Bridge to Wellness

SpectraVision BodyScan ID

1145

6642-D Green River Dr
 Highlands Ranch, CO 80130
 303-350-8598 - www.bridgetowellness.com

Report Information

Health Care Professional	Participant Gender	Participant Age
Lisa Setser, ND Traditional Naturopath 6642-D Green River Dr Highlands Ranch, CO 80130	Female	56

Order Details

Date of Initial Testing: November 16, 2010
Date of Final Testing: December 30, 2010
Testing Method: SpectraVision Meridian Testing—in Single Channel EAV Mode

Ener-G-Polari-T Products Research Trial

The purpose of this trial is to study the effects of Ener-G-Polari-T's DioMid, Cell Phone Diode and a Versatile Diode on a crew of 6 telephone company employees who work under cell towers (sites) and who wear or carry cell phones daily. Each person is exposed to a large amount of radiation daily. Each person will be provided a Cell Phone Diode to attach to their cell phone and a Versatile Diode to wear. One DioMid will be placed at their worksite. We will be measuring their Meridians using a SpectraVision BodyScan in Single Channel EAV (Electro-Acupuncture according to Voll) Mode just before they begin using these products. And we will be measuring their Meridians again after using these products for 6 weeks.

EAV Meridian Measurement Ranges:

0-45=Degeneration 46-54=Balance 55-70=Inflammation/Stress 71-85=High Level Inflammation/Stress
 86-100=Extreme Inflammation/Stress; A number fall, such as 74/70=Toxicity

The Meridian System

The Meridian System is a concept central to Traditional Chinese Medicine. Meridians are channels (or information highways) under the skin that flow between an organ/system and the acupuncture point at the end of the finger or toe. The acupoint is where we measure the energy flow to determine the energetic state of the organ or system—to see if it is stressed (inflamed), in balance, or degenerating (lacking energy to function optimally).

By using the Meridian System to measure the effects of Ener-G-Polari-T's products on the test subjects, we are able to establish how the organs and systems are affected energetically when working around these products.

This Bionetic Assessment is for professional and research purposes only. The EAV Responses are not intended to diagnose, treat or cure any disease.

Trial Study Measurement Results

Initial Measurements Before Exposure to Diodes & DioMid	Final Measurements After Exposure to Diodes & DioMid
Lymph: 72/70 - High Level Inflammation/Stress, with Toxicity	Lymph: 54 - In Balanced Range
Lung: 67 - Inflammation/Stress	Lung: 54 - In Balanced Range
Large Intestine: 42 - Degeneration	Large Intestine: 49 - In Balance
Nervous System: 48/46 - Toxicity	Nervous System: 54 - In Balanced Range
Circulation: 65 - Inflammation/Stress	Circulation: 49 - In Balance
Allergy: 49/48 - Slight Toxicity	Allergy: 49 - In Balance
Cellular Tissue: 52 - In Balanced Range	Cellular Tissue: 53 - In Balanced Range
Endocrine System: 52/45 - Toxicity	Endocrine System: 55 - Mild Inflammation/Stress
Heart: 59 - Inflammation/Stress	Heart: 51 - In Balance
Small Intestine: 56/55 - Mild Inflammation/Stress	Small Intestine: 50 - In Balance
Bladder: 56 - Mild Inflammation/Stress	Bladder: 52 - In Balanced Range
Kidney: 65 - Inflammation/Stress	Kidney: 50 - Perfect Balance
Gallbladder: 57/56 - Mild Inflammation/Stress & Toxicity	Gallbladder: 58 - Some Inflammation/Stress
Lipids: 71 - High Level Inflammation/Stress	Lipids: 63 - Inflammation/Stress
Skin: 63 - Inflammation/Stress	Skin: 53 - In Balanced Range
Fibrous Tissue: 63 - Inflammation/Stress	Fibrous Tissue: 61 - Some Inflammation/Stress
Stomach: 47 - In Balanced Range	Stomach: 49 - In Balance
Connective Tissue: 75 - High Level Inflammation/Stress	Connective Tissue: 48 - In Balanced Range
Liver: 64/63 - Inflammation/Stress, with Mild Toxicity	Liver: 48 - In Balance
Spleen: 38/37 - Degeneration with Mild Toxicity	Spleen: 49 - In Balance
Pancreas: 54 - In Balanced Range	Pancreas: 51 - In Balance

Conclusions

Lymph: Significant Improvement
 Lung: Significant Improvement
 Large Intestine: Significant Improvement
 Nervous System: Significant Improvement
 Circulation: Significant Improvement
 Allergy: Slight Improvement
 Cellular Tissue: Same Balanced Range
 Endocrine System: Significant Improvement
 Heart: Improvement
 Small Intestine: Significant Improvement

Bladder: Improvement
 Kidney: Significant Improvement
 Gallbladder: Slight Improvement
 Lipids: Significant Improvement
 Skin: Significant Improvement
 Fibrous Tissue: Slight Improvement
 Stomach: Improvement
 Connective Tissue: Significant Improvement
 Liver: Significant Improvement
 Spleen: Very Remarkable and Significant Improvement
 Pancreas: Improvement

EAV Testing of the Meridians show overall improvements in all body systems. At the start of this trial participant showed inflammation (or stress) responses in the majority of her Meridians, with degeneration and toxicity in a few of them. By the end of this trial period of exposure to the Cell Phone Diode, Versatile Diode and DioMid (working/living in a remediated and beneficially polarized energy field), the majority of participant's system Meridians have come into the balanced range. Her Meridians coming into the balanced range is a reflection of the organs and systems being in balance.

Bridge to Wellness

6642-D Green River Dr
Highlands Ranch, CO 80130
303-350-8598 - www.bridgetowellness.com

SpectraVision BodyScan ID
1146

Report Information

Health Care Professional	Participant Gender	Participant Age
Lisa Setser, ND Traditional Naturopath 6642-D Green River Dr Highlands Ranch, CO 80130	Male	45

Order Details

Date of Initial Testing: November 16, 2010
Date of Final Testing: December 29, 2010
Testing Method: SpectraVision Meridian Testing—in Single Channel EAV Mode

Ener-G-Polari-T Products Research Trial

The purpose of this trial is to study the effects of Ener-G-Polari-T's DioMid, Cell Phone Diode and a Versatile Diode on a crew of 6 telephone company employees who work under cell towers (sites) and who wear or carry cell phones daily. Each person is exposed to a large amount of radiation daily. Each person will be provided a Cell Phone Diode to attach to their cell phone and a Versatile Diode to wear. One DioMid will be placed at their worksite. We will be measuring their Meridians using a SpectraVision BodyScan in Single Channel EAV (Electro-Acupuncture according to Voll) Mode just before they begin using these products. And we will be measuring their Meridians again after using these products for 6 weeks.

EAV Meridian Measurement Ranges:

0-45=Degeneration 46-54=Balance 55-70=Inflammation/Stress 71-85=High Level Inflammation/Stress
 86-100=Extreme Inflammation/Stress; A number fall, such as 74/70=Toxicity

The Meridian System

The Meridian System is a concept central to Traditional Chinese Medicine. Meridians are channels (or information highways) under the skin that flow between an organ/system and the acupuncture point at the end of the finger or toe. The acupoint is where we measure the energy flow to determine the energetic state of the organ or system—to see if it is stressed (inflamed), in balance, or degenerating (lacking energy to function optimally).

By using the Meridian System to measure the effects of Ener-G-Polari-T's products on the test subjects, we are able to establish how the organs and systems are affected energetically when working around these products.

This Bionetic Assessment is for professional and research purposes only. The EAV Responses are not intended to diagnose, treat or cure any disease.

Trial Study Measurement Results

Initial Measurements Before Exposure to Diodes & DioMid	Final Measurements After Exposure to Diodes & DioMid
Lymph: 85 - Very High Level of Inflammation/Stress	Lymph: 69 - Inflammation/Stress
Lung: 78/76 - High Level Inflammation/Stress with Toxicity	Lung: 47 - In Balanced Range
Large Intestine: 72 - High Level of Inflammation/Stress	Large Intestine: 53 - In Balanced Range
Nervous System: 76 - High Level of Inflammation/Stress	Nervous System: 49 - In Balance
Circulation: 80 - High Level of Inflammation/Stress	Circulation: 54 - In Balanced Range
Allergy: 77 - High Level of Inflammation/Stress	Allergy: 52 - In Balanced Range
Cellular Tissue: 89 - Extreme Level of Inflammation/Stress	Cellular Tissue: 51 - In Balance
Endocrine System: 79 - High Level of Inflammation/Stress	Endocrine System: 50 - In Perfect Balance
Heart: 84 - Very High Level of Inflammation/Stress	Heart: 65 - Inflammation/Stress
Small Intestine: 86 - Extreme Level of Inflammation/Stress	Small Intestine: 55 - Mild Inflammation/Stress
Bladder: 75 - High Level of Inflammation/Stress	Bladder: 49 - In Balance
Kidney: 90 - Extremely High Level of Inflammation/Stress	Kidney: 54 - In Balanced Range
Gallbladder: 85 - Very High Level of Inflammation/Stress	Gallbladder: 49 - In Balance
Lipids: 91 - Extremely High Level of Inflammation/Stress	Lipids: 52 - In Balanced Range
Skin: 91/90 - Extreme Inflammation/Stress with Mild Toxicity	Skin: 49 - In Balance
Fibrous Tissue: 100 - Maximum Level of Measurable Stress	Fibrous Tissue: 56 - Mild Inflammation/Stress
Stomach: 78/75 - High Level Inflammation/Stress w/ Toxicity	Stomach: 52 - In Balanced Range
Connective Tissue: 92/91 - Extreme Stress w/ Mild Toxicity	Connective Tissue: 50 - In Perfect Balance
Liver: 89 - Extremely High Level of Inflammation/Stress	Liver: 57 - Some Inflammation/Stress
Spleen: 94 - Extremely High Level of Inflammation/Stress	Spleen: 64 - Inflammation/Stress
Pancreas: 100 - Maximum Level of Measurable Stress	Pancreas: 48 - In Balanced Range

Conclusions

Lymph: Significant Improvement
 Lung: Very Significant Improvement
 Large Intestine: Significant Improvement
 Nervous System: Very Significant Improvement
 Circulation: Very Significant Improvement
 Allergy: Significant Improvement
 Cellular Tissue: Very Significant & Remarkable Improvement
 Endocrine System: Very Significant Improvement
 Heart: Significant Improvement
 Small Intestine: Significant Improvement

Bladder: Significant Improvement
 Kidney: Very Significant & Remarkable Improvement
 Gallbladder: Very Significant Improvement
 Lipids: Very Significant & Remarkable Improvement
 Skin: Very Significant & Remarkable Improvement
 Fibrous Tissue: Very Significant Improvement
 Stomach: Very Significant Improvement
 Connective Tissue: AMAZING Improvement!!!
 Liver: Significant Improvement
 Spleen: Significant Improvement
 Pancreas: Extremely Remarkable Improvement!!!!

EAV Testing of the Meridians show overall improvements in all body systems, with very remarkable improvements in some of them. At the start of this trial participant showed very high and even extreme levels of inflammation (or stress) responses in the majority of his Meridians, with a couple of the Meridians showing the **maximum** level of Inflammation/Stress measurable with EAV testing. By the end of this trial period of exposure to the Cell Phone Diode, Versatile Diode and DioMid (working/living in a remediated and beneficially polarized energy field), the majority of participant's system Meridians have come into the balanced range, with only a few showing mild or moderate inflammation/stress. His Meridians coming into the balanced range (or close to it) is a reflection of the organs and systems coming into balance, or the balanced range.

Bridge to Wellness

6642-D Green River Dr
 Highlands Ranch, CO 80130
 303-350-8598 - www.bridgetowellness.com

SpectraVision BodyScan ID
 1147

Report Information

Health Care Professional	Participant Gender	Participant Age
Lisa Selser, ND Traditional Naturopath 6642-D Green River Dr Highlands Ranch, CO 80130	Female	49

Order Details

Date of Initial Testing: November 16, 2010
Date of Final Testing: December 28, 2010
Testing Method: SpectraVision Meridian Testing—in Single Channel EAV Mode

Ener-G-Polari-T Products Research Trial

The purpose of this trial is to study the effects of Ener-G-Polari-T's DioMid, Cell Phone Diode and a Versatile Diode on a crew of 6 telephone company employees who work under cell towers (sites) and who wear or carry cell phones daily. Each person is exposed to a large amount of radiation daily. Each person will be provided a Cell Phone Diode to attach to their cell phone and a Versatile Diode to wear. One DioMid will be placed at their worksite. We will be measuring their Meridians using a SpectraVision BodyScan in Single Channel EAV (Electro-Acupuncture according to Voll) Mode just before they begin using these products. And we will be measuring their Meridians again after using these products for 6 weeks.

EAV Meridian Measurement Ranges:

0-45=Degeneration 46-54=Balance 55-70=Inflammation/Stress 71-85=High Level Inflammation/Stress
 86-100=Extreme Inflammation/Stress; A number fall, such as 74/70=Toxicity

The Meridian System

The Meridian System is a concept central to Traditional Chinese Medicine. Meridians are channels (or information highways) under the skin that flow between an organ/system and the acupuncture point at the end of the finger or toe. The acupoint is where we measure the energy flow to determine the energetic state of the organ or system—to see if it is stressed (inflamed), in balance, or degenerating (lacking energy to function optimally).

By using the Meridian System to measure the effects of Ener-G-Polari-T's products on the test subjects, we are able to establish how the organs and systems are affected energetically when working around these products.

This Bionetic Assessment is for professional and research purposes only. The EAV Responses are not intended to diagnose, treat or cure any disease.

Trial Study Measurement Results

Initial Measurements Before Exposure to Diodes & DioMid	Final Measurements After Exposure to Diodes & DioMid
Lymph: 58 - Inflammation/Stress	Lymph: 50 - Perfect Balance
Lung: 68 - Inflammation/Stress	Lung: 54 - In Balanced Range
Large Intestine: 68/65 - Inflammation/Stress w/ Toxicity	Large Intestine: 56 - Mild Inflammation/Stress
Nervous System: 69 - Inflammation/Stress	Nervous System: 51 - In Balance
Circulation: 58 - Inflammation/Stress	Circulation: 49 - In Balance
Allergy: 75 - High Level of Inflammation/Stress	Allergy: 48 - In Balanced Range
Cellular Tissue: 63/61 - Inflammation/Stress w/ Toxicity	Cellular Tissue: 50 - Perfect Balance
Endocrine System: 69/68 - Inflammation/Stress, Mild Toxicity	Endocrine System: 51 - In Balance
Heart: 60 - Inflammation/Stress	Heart: 54 - In Balanced Range
Small Intestine: 63 - Inflammation/Stress	Small Intestine: 52 - In Balanced Range
Bladder: 45 - Slight Degeneration	Bladder: 51 - In Balance
Kidney: 79 - High Level of Inflammation/Stress	Kidney: 54 - In Balanced Range
Gallbladder: 56 - Inflammation/Stress	Gallbladder: 53 - In Balanced Range
Lipids: 74 - High Level of Inflammation/Stress	Lipids: 57 - Some Inflammation/Stress
Skin: 68 - Inflammation/Stress	Skin: 48 - In Balanced Range
Fibrous Tissue: 61 - Inflammation/Stress	Fibrous Tissue: 51 - In Balance
Stomach: 70 - Inflammation/Stress	Stomach: 50 - Perfect Balance
Connective Tissue: 61 - Inflammation/Stress	Connective Tissue: 54 - In Balanced Range
Liver: 64/61 - Inflammation/Stress with Toxicity	Liver: 50 - Perfect Balance
Spleen: 70 - Inflammation/Stress	Spleen: 54 - In Balanced Range
Pancreas: 70/69 - Inflammation/Stress w/ Mild Toxicity	Pancreas: 51 - In Balance

Conclusions

Lymph: Significant Improvement
 Lung: Improvement
 Large Intestine: Significant Improvement
 Nervous System: Significant Improvement
 Circulation: Very Significant Improvement
 Allergy: Very Significant Improvement
 Cellular Tissue: Very Significant Improvement
 Endocrine System: Very Significant Improvement
 Heart: Improvement
 Small Intestine: Improvement

Bladder: Improvement
 Kidney: Significant Improvement
 Gallbladder: Improvement
 Lipids: Improvement
 Skin: Significant Improvement
 Fibrous Tissue: Significant Improvement
 Stomach: Very Significant Improvement
 Connective Tissue: Improvement
 Liver: Very Significant Improvement
 Spleen: Significant Improvement
 Pancreas: Significant Improvement!!!

EAV Testing of the Meridians show overall improvements in all body systems. At the start of this trial participant showed inflammation (or stress) responses in the majority of her Meridians, with degeneration in one, and toxicity in a few of them. By the end of this trial period of exposure to the Cell Phone Diode, Versatile Diode and DioMid (working/living in a remediated and beneficially polarized energy field), the majority of participant's system Meridians have come into the balanced range. Her Meridians coming into the balanced range is a reflection of the organs and systems being in balance.

Bridge to Wellness

6642-D Green River Dr
Highlands Ranch, CO 80130
303-350-8598 - www.bridgetowellness.com

SpectraVision BodyScan ID

1148

Report Information

Health Care Professional	Participant Gender	Participant Age
Lisa Setser, ND Traditional Naturopath 6642-D Green River Dr Highlands Ranch, CO 80130	Male	53

Order Details

Date of Initial Testing: November 16, 2010
Date of Final Testing: December 30, 2010
Testing Method: SpectraVision Meridian Testing—in Single Channel EAV Mode

Ener-G-Polari-T Products Research Trial

The purpose of this trial is to study the effects of Ener-G-Polari-T's DioMid, Cell Phone Diode and a Versatile Diode on a crew of 6 telephone company employees who work under cell towers (sites) and who wear or carry cell phones daily. Each person is exposed to a large amount of radiation daily. Each person will be provided a Cell Phone Diode to attach to their cell phone and a Versatile Diode to wear. One DioMid will be placed at their worksite. We will be measuring their Meridians using a SpectraVision BodyScan in Single Channel EAV (Electro-Acupuncture according to Voll) Mode just before they begin using these products. And we will be measuring their Meridians again after using these products for 6 weeks.

EAV Meridian Measurement Ranges:

0-45=Degeneration 46-54=Balance 55-70=Inflammation/Stress 71-85=High Level Inflammation/Stress
 86-100=Extreme Inflammation/Stress; A number fall, such as 74/70=Toxicity

The Meridian System

The Meridian System is a concept central to Traditional Chinese Medicine. Meridians are channels (or information highways) under the skin that flow between an organ/system and the acupuncture point at the end of the finger or toe. The acupoint is where we measure the energy flow to determine the energetic state of the organ or system—to see if it is stressed (inflamed), in balance, or degenerating (lacking energy to function optimally).

By using the Meridian System to measure the effects of Ener-G-Polari-T's products on the test subjects, we are able to establish how the organs and systems are affected energetically when working around these products.

This Bionetic Assessment is for professional and research purposes only. The EAV Responses are not intended to diagnose, treat or cure any disease.

Trial Study Measurement Results

Initial Measurements Before Exposure to Diodes & DioMid	Final Measurements After Exposure to Diodes & DioMid
Lymph: 67 - Inflammation/Stress with Toxicity	Lymph: 48 - In Balanced Range
Lung: 66 - Inflammation/Stress	Lung: 61 - Inflammation/Stress
Large Intestine: 81 - High Level Inflammation/Stress	Large Intestine: 51 - In Balance
Nervous System: 77 - High Level Inflammation/Stress	Nervous System: 53 - In Balanced Range
Circulation: 72/71 - High Level Inflammation w/ Toxicity	Circulation: 48 - In Balanced Range
Allergy: 75 - High Level of Inflammation/Stress	Allergy: 52 - In Balanced Range
Cellular Tissue: 85 - Extreme Level of Inflammation/Stress	Cellular Tissue: 51 - In Balance
Endocrine System: 77/76 - High Level Stress w/ Mild Toxicity	Endocrine System: 54 - In Balanced Range
Heart: 84/82 - Very High Level Inflammation w/ Toxicity	Heart: 50 - Perfect Balance
Small Intestine: 78 - High Level of Inflammation/Stress	Small Intestine: 56 - Inflammation/Stress
Bladder: 56 - Mild Inflammation/Stress	Bladder: 47 - In Balanced Range
Kidney: 66 - Inflammation/Stress	Kidney: 57 - Inflammation/Stress
Gallbladder: 59/57 - Inflammation/Stress with Toxicity	Gallbladder: 54 - In Balanced Range
Lipids: 74/73 - High Level of Inflammation, Mild Toxicity	Lipids: 54 - In Balanced Range
Skin: 76 - High Level of Inflammation/Stress	Skin: 53 - In Balanced Range
Fibrous Tissue: 74/71 - High Level Inflammation w/ Toxicity	Fibrous Tissue: 58 - Inflammation/Stress
Stomach: 77/74 - High Level Inflammation, Mild Toxicity	Stomach: 57 - Mild Inflammation/Stress
Connective Tissue: 74/73 - High Level Stress, Mild Toxicity	Connective Tissue: 65 - Inflammation/Stress
Liver: 66 - Inflammation/Stress	Liver: 58 - Inflammation/Stress
Spleen: 62/61 - Inflammation/Stress, Mild Toxicity	Spleen: 55 - Mild Inflammation/Stress
Pancreas: 84/83 - High Level Inflammation, Mild Toxicity	Pancreas: 51 - In Balanced Range

Conclusions

Lymph: Significant Improvement
 Lung: Very Significant Improvement
 Large Intestine: Significant Improvement
 Nervous System: Very Significant Improvement
 Circulation: Significant Improvement
 Allergy: Very Significant Improvement
 Cellular Tissue: Very Significant & Remarkable Improvement
 Endocrine System: Very Significant Improvement
 Heart: Extremely Significant Improvement
 Small Intestine: Significant Improvement

Bladder: Improvement
 Kidney: Improvement
 Gallbladder: Good Improvement
 Lipids: Significant Improvement
 Skin: Significant Improvement
 Fibrous Tissue: Significant Improvement
 Stomach: Significant Improvement
 Connective Tissue: Improvement
 Liver: Improvement
 Spleen: Improvement
 Pancreas: Extremely Significant Improvement

EAV Testing of the Meridians show overall improvements in all body systems. At the start of this trial participant showed inflammation (or stress) responses in the majority of his Meridians, with toxicity in several of them. By the end of this trial period of exposure to the Cell Phone Diode, Versatile Diode and DioMid (working/living in a remediated and beneficially polarized energy field), the majority of participant's system Meridians have come into the balanced range, or have a significant decreased level of inflammation & stress. His Meridians coming into the balanced range or closer to the balanced range is a reflection of the organs and systems being in balance and/or less stressed.

Bridge to Wellness

6642-D Green River Dr
 Highlands Ranch, CO 80130
 303-350-8598 - www.bridgetowellness.com

SpectraVision BodyScan ID
 1149

Report Information

Health Care Professional	Participant Gender	Participant Age
Lisa Setser, ND Traditional Naturopath 6642-D Green River Dr Highlands Ranch, CO 80130	Male	56

Order Details

Date of Initial Testing: November 16, 2010
Date of Final Testing: December 30, 2010
Testing Method: SpectraVision Meridian Testing—in Single Channel EAV Mode

Ener-G-Polari-T Products Research Trial

The purpose of this trial is to study the effects of Ener-G-Polari-T's DioMid, Cell Phone Diode and a Versatile Diode on a crew of 6 telephone company employees who work under cell towers (sites) and who wear or carry cell phones daily. Each person is exposed to a large amount of radiation daily. Each person will be provided a Cell Phone Diode to attach to their cell phone and a Versatile Diode to wear. One DioMid will be placed at their worksite. We will be measuring their Meridians using a SpectraVision BodyScan in Single Channel EAV (Electro-Acupuncture according to Voll) Mode just before they begin using these products. And we will be measuring their Meridians again after using these products for 6 weeks.

EAV Meridian Measurement Ranges:

0-45=Degeneration 46-54=Balance 55-70=Inflammation/Stress 71-85=High Level Inflammation/Stress
 86-100=Extreme Inflammation/Stress; A number fall, such as 74/70=Toxicity

The Meridian System

The Meridian System is a concept central to Traditional Chinese Medicine. Meridians are channels (or information highways) under the skin that flow between an organ/system and the acupuncture point at the end of the finger or toe. The acupoint is where we measure the energy flow to determine the energetic state of the organ or system—to see if it is stressed (inflamed), in balance, or degenerating (lacking energy to function optimally).

By using the Meridian System to measure the effects of Ener-G-Polari-T's products on the test subjects, we are able to establish how the organs and systems are affected energetically when working around these products.

This Bionetic Assessment is for professional and research purposes only. The EAV Responses are not intended to diagnose, treat or cure any disease.

Trial Study Measurement Results

Initial Measurements Before Exposure to Diodes & DioMid	Final Measurements After Exposure to Diodes & DioMid
Lymph: 70 - High Level Inflammation/Stress	Lymph: 49 - In Balance
Lung: 71/70 - High Level Inflammation/Stress w/ Toxicity	Lung: 51 - In Balance
Large Intestine: 70 - High Level Inflammation/Stress	Large Intestine: 51 - In Balance
Nervous System: 72/70 - High Level Stress, with Toxicity	Nervous System: 49 - In Balance
Circulation: 58 - Inflammation/Stress	Circulation: 49 - In Balance
Allergy: 57 - Inflammation/Stress	Allergy: 54 - In Balanced Range
Cellular Tissue: 58 - Inflammation/Stress	Cellular Tissue: 49 - In Balance
Endocrine System: 67/58 - Inflammation/Stress w/ Toxicity	Endocrine System: 47 - In Balanced Range
Heart: 56 - Inflammation/Stress	Heart: 52 - In Balanced Range
Small Intestine: 62 - Inflammation/Stress	Small Intestine: 52 - In Balanced Range
Bladder: 35/33 - Degeneration with Toxicity	Bladder: 51 - In Balance
Kidney: 70/69 - Inflammation/Stress, with mild Toxicity	Kidney: 53/52 - In Balanced Range, still mild toxicity
Gallbladder: 53 - In Balanced Range	Gallbladder: 53 - In Balanced Range
Lipids: 65 - Inflammation/Stress	Lipids: 52/51 - In Balanced Range, with mild Toxicity
Skin: 54/54 - In Balanced Range, but with mild Toxicity	Skin: 58 - Inflammation/Stress
Fibrous Tissue: 78/77 - High Level Inflammation w/ Toxicity	Fibrous Tissue: 47 - In Balanced Range
Stomach: 59 - Inflammation/Stress	Stomach: 50 - Perfect Balance
Connective Tissue: 80 - High Level Inflammation/Stress	Connective Tissue: 50 - Perfect Balance
Liver: 87 - Extremely High Level of Inflammation/Stress	Liver: 63 - Inflammation/Stress
Spleen: 73 - High Level of Inflammation/Stress	Spleen: 60 - Inflammation/Stress
Pancreas: 83 - High Level of Inflammation/Stress	Pancreas: 52 - In Balanced Range

Conclusions

Lymph: Very Significant Improvement
 Lung: Very Significant Improvement
 Large Intestine: Very Significant Improvement
 Nervous System: Very Significant Improvement
 Circulation: Improvement
 Allergy: Improvement
 Cellular Tissue: Improvement
 Endocrine System: Very Significant Improvement
 Heart: Improvement
 Small Intestine: Improvement

Bladder: Very Significant Improvement
 Kidney: Very Significant Improvement
 Gallbladder: Same
 Lipids: A change from Inflammation/Stress to Balance with mild toxicity.
 Skin: A change from Balance w/ mild toxicity to Stress Range
 Fibrous Tissue: Very Significant Improvement
 Stomach: Significant Improvement
 Connective Tissue: Extremely Remarkable Improvement
 Liver: Significant Improvement
 Spleen: Significant Improvement
 Pancreas: Very Significant Improvement

EAV Testing of the Meridians show overall improvements in almost all body systems. At the start of this trial participant showed inflammation (or stress) responses in the majority of his Meridians, with degeneration in one, and toxicity in several of them. By the end of this trial period of exposure to the Cell Phone Diode, Versatile Diode and DioMid (working/living in a remediated and beneficially polarized energy field), the majority of participant's system Meridians have come into the balanced range, with a few still showing inflammation, but improvement. Two remained with mild toxicity, and one Meridian remained in the same balanced range. His Meridians coming into the balanced range or making improvement is a reflection of the organs and systems being in balance, and/or improving.

This Bionetic Assessment is for professional and research purposes only. The EAV Responses are not intended to diagnose, treat or cure any disease.

Bridge to Wellness

6642-D Green River Dr
Highlands Ranch, CO 80130
303-350-8598 - www.bridgetowellness.com

SpectraVision BodyScan ID
1150

Report Information

Health Care Professional	Participant Gender	Participant Age
Lisa Setser, ND Traditional Naturopath 6642-D Green River Dr Highlands Ranch, CO 80130	Male	39

Order Details

Date of Initial Testing: November 16, 2010
Date of Final Testing: December 28, 2010
Testing Method: SpectraVision Meridian Testing—in Single Channel EAV Mode

Ener-G-Polari-T Products Research Trial

The purpose of this trial is to study the effects of Ener-G-Polari-T's DioMid, Cell Phone Diode and a Versatile Diode on a crew of 6 telephone company employees who work under cell towers (sites) and who wear or carry cell phones daily. Each person is exposed to a large amount of radiation daily. Each person will be provided a Cell Phone Diode to attach to their cell phone and a Versatile Diode to wear. One DioMid will be placed at their worksite. We will be measuring their Meridians using a SpectraVision BodyScan in Single Channel EAV (Electro-Acupuncture according to Voll) Mode just before they begin using these products. And we will be measuring their Meridians again after using these products for 6 weeks.

EAV Meridian Measurement Ranges:

0-45=Degeneration 46-54=Balance 55-70=Inflammation/Stress 71-85=High Level Inflammation/Stress
86-100=Extreme Inflammation/Stress; A number fall, such as 74/70=Toxicity

The Meridian System

The Meridian System is a concept central to Traditional Chinese Medicine. Meridians are channels (or information highways) under the skin that flow between an organ/system and the acupuncture point at the end of the finger or toe. The acupoint is where we measure the energy flow to determine the energetic state of the organ or system—to see if it is stressed (inflamed), in balance, or degenerating (lacking energy to function optimally).

By using the Meridian System to measure the effects of Ener-G-Polari-T's products on the test subjects, we are able to establish how the organs and systems are affected energetically when working around these products.

This Bionetic Assessment is for professional and research purposes only. The EAV Responses are not intended to diagnose, treat or cure any disease.

Trial Study Measurement Results

Initial Measurements Before Exposure to Diodes & DioMid	Final Measurements After Exposure to Diodes & DioMid
Lymph: 72/71 - High Level Inflammation/Stress, with Toxicity	Lymph: 65 - Inflammation/Stress
Lung: 59 - Inflammation/Stress	Lung: 62 - Inflammation/stress
Large Intestine: 78/77 - High Level Inflammation w/ Toxicity	Large Intestine: 62 - Inflammation/stress
Nervous System: 77/76 - High Level Inflammation w/ Toxicity	Nervous System: 60 - Inflammation/stress
Circulation: 86 - Extreme Level Inflammation/Stress	Circulation: 66 - Inflammation/stress
Allergy: 83/82 - Extreme Level Inflammation with Toxicity	Allergy: 52 - In Balanced Range
Cellular Tissue: 88 - Extreme Level Inflammation/Stress	Cellular Tissue: 50 - Perfect Balance
Endocrine System: 82/81 - Extreme Level Stress w/ Toxicity	Endocrine System: 61 - Inflammation/stress
Heart: 90 - Extremely High Level Inflammation/Stress	Heart: 62 - Inflammation/stress
Small Intestine: 86 - Extreme Level Inflammation/Stress	Small Intestine: 66 - Inflammation/stress
Bladder: 64 - Inflammation/Stress	Bladder: 57 - Inflammation/stress
Kidney: 80 - High Level of Inflammation/Stress	Kidney: 75 - High level Inflammation/stress
Gallbladder: 82 - High Level of Inflammation/Stress	Gallbladder: 52 - In Balanced Range
Lipids: 80 - High Level Inflammation/Stress	Lipids: 59 - Inflammation/stress
Skin: 88 - Extreme Level Inflammation/Stress	Skin: 77 - High Level Inflammation/Stress
Fibrous Tissue: 89 - Extreme Level Inflammation/Stress	Fibrous Tissue: 62 - Inflammation/stress
Stomach: 88 - Extreme Level Inflammation/Stress	Stomach: 62 - Inflammation/stress
Connective Tissue: 91 - Extreme Level Inflammation/Stress	Connective Tissue: 87 - Extreme Level Inflammation/Stress
Liver: 80 - High Level of Inflammation/Stress	Liver: 55 - Mild Inflammation/stress
Spleen: 80/79 - High Level Inflammation/Stress w/ Toxicity	Spleen: 49 - In Balanced Range
Pancreas: 85 - Very High Level Inflammation/Stress	Pancreas: 59 - Inflammation/stress

Conclusions

Lymph: Significant Improvement
 Lung: Improvement
 Large Intestine: Significant Improvement
 Nervous System: Significant Improvement
 Circulation: Significant Improvement
 Allergy: Very Significant Improvement
 Cellular Extraordinary Improvement!
 Endocrine System: Very Significant Improvement
 Heart: Very Significant Improvement
 Small Intestine: Very Significant Improvement

Bladder: Improvement
 Kidney: Improvement
 Gallbladder: Extraordinary Improvement
 Lipids: Very Significant Improvement
 Skin: Improvement
 Fibrous Tissue: Significant Improvement
 Stomach: Very Significant Improvement
 Connective Tissue: Slight Improvement
 Liver: Very Significant Improvement
 Spleen: Extraordinary Improvement
 Pancreas: Very Significant Improvement

EAV Testing of the Meridians show overall improvements in all body systems. At the start of this trial participant showed high levels of inflammation (or stress) responses in the majority of his Meridians, toxicity in a few of them. By the end of this trial period of exposure to the Cell Phone Diode, Versatile Diode and DioMid (working/living in a remediated and beneficially polarized energy field), the majority of participant's system Meridians have shown significant improvement. His Meridians moving closer to the balanced range is a reflection of the organs and systems moving toward balance.